

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003**

INVENTORY COUNTS

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50000	Total Materiel Inventory Actions	Number of inventory actions.	A count is added to this element when a transaction meets the criteria below.
Type Transaction Code equal D8A and D9A			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003**

**TM-500.DOC
INVENTORY COUNTS**

**DATA ELEMENTS
50001 – 50009
TO BE DEVELOPED**

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50010	Dollar Value, Total Material Inventory Actn	Dollar Value of all Inventory Actions	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below.
Type Transaction Code equal D8A and D9A			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003**

**TM-500.DOC
INVENTORY COUNTS**

**DATA ELEMENTS
50011 – 50079
TO BE DEVELOPED**

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50080	Total Line Items Inventoried by service.	The number of unique NSN/ Condition Code/Service Code combinations inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below.
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal to 'Z'</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50081	Line Items Inventoried TPIC C.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC C, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below.
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'C'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50082	Line Items Inventoried TPIC D.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC D, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below.
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'D'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50083	Line Items Inventoried TPIC E.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC E, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below.
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'E'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50084	Line Items Inventoried TPIC G.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC G, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'G'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50085	Line Items Inventoried TPIC H.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC H, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'H'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50086	Line Items Inventoried TPIC I.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC I, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'I'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50087	Line Items Inventoried TPIC J.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC J, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'J'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50088	Line Items Inventoried TPIC K.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC K, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'K'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT No.	TITLE	DEFINITION	CALCULATION METHOD
50089	Line Items Inventoried TPIC L.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC L, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'L'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT No.	TITLE	DEFINITION	CALCULATION METHOD
50090	Line Items Inventoried TPIC M.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC M, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'M'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50091	Line Items Inventoried TPIC N.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC N, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'N'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continue on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50092	Line Items Inventoried TPIC P.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC P, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'P'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50093	Line Items Inventoried, other or blank TPIC.	The number of unique NSN/Condition Code/ and Service Code combinations for TPIC not equal to A, C, D, E, G, H, I, J, K, L, M, N, P, R, S, T, U, or V, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal to 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', and 'V'</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50094	Line Items Inventoried TPIC A.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC A, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'A'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50095	Line Items Inventoried TPIC R.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC R, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'R'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50096	Line Items Inventoried TPIC S.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC S, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'S'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50097	Line Items Inventoried TPIC T.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC T, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'T'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50098	Line Items Inventoried TPIC U.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC U, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'U'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: September 4, 2003

TM-500.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50099	Line Items Inventoried TPIC V.	The number of unique NSN/ Condition Code/Service Code combinations for TPIC V, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal to 'V'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, Condition Code, and Service Code match a transaction previously processed in the current month (duplicate transaction).</p>			