

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

INVENTORY COUNTS

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50100	Total Inventories Completed.	The Number of inventories completed excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal to 'Z'</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50101	Total Inventories Completed TPIC C.	The Number of inventories completed with a TPIC equal C, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'C'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50102	Total Inventories Completed TPIC D.	The Number of inventories completed with a TPIC equal D, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'D'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50103	Total Inventories Completed TPIC E.	The Number of inventories completed with a TPIC equal E, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'E'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50104	Total Inventories Completed TPIC G.	The Number of inventories completed with a TPIC equal G, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'G'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50105	Total Inventories Completed TPIC H.	The Number of inventories completed with a TPIC equal H, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'H'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50106	Total Inventories Completed TPIC I.	The Number of inventories completed with a TPIC equal I, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'I'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50107	Total Inventories Completed TPIC J.	The Number of inventories completed with a TPIC equal J, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'J'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50108	Total Inventories Completed TPIC K.	The Number of inventories completed with a TPIC equal K, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'K'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50109	Total Inventories Completed TPIC L.	The Number of inventories completed with a TPIC equal L, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'L'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50110	Total Inventories Completed TPIC M.	The Number of inventories completed with a TPIC equal M, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'M'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50111	Total Inventories Completed TPIC N.	The Number of inventories completed with a TPIC equal N, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'N'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50112	Total Inventories Completed TPIC P.	The Number of inventories completed with a TPIC equal P, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'P'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50113	Total Inventories Completed, Other or blank TPIC.	The Number of inventories completed with a TPIC not equal to A, C, D, E, G, H, I, J, K, L, M, N, P, R, S, T, U, V, or Z, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', 'V', and 'Z'</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50114	Total Inventories Completed TPIC A.	The Number of inventories completed with a TPIC equal A, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'A'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50115	Total Inventories Completed TPIC R.	The Number of inventories completed with a TPIC equal R, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'R'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50116	Total Inventories Completed TPIC S.	The Number of inventories completed with a TPIC equal S, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'S'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50117	Total Inventories Completed TPIC T.	The Number of inventories completed with a TPIC equal T, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'T'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50118	Total Inventories Completed TPIC U.	The Number of inventories completed with a TPIC equal U, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'U'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50119	Total Inventories Completed TPIC V.	The Number of inventories completed with a TPIC equal V, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'V'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continue on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50120	Total Dollar Value, Completed Inventories	The Dollar Value of inventories completed excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude TPIC equal to 'Z'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50121	Dollar Value, Completed Inventories TPIC C	The Dollar Value of inventories completed with TPIC C, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'C'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50122	Dollar Value, Completed Inventories TPIC D	The Dollar Value of inventories completed with TPIC D, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'D'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50123	Dollar Value, Completed Inventories TPIC E	The Dollar Value of inventories completed with TPIC E, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'E'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50124	Dollar Value, Completed Inventories TPIC G	The Dollar Value of inventories completed with TPIC G, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'G'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50125	Dollar Value, Completed Inventories TPIC H	The Dollar Value of inventories completed with TPIC H, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'H'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

_TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50126	Dollar Value, Completed Inventories TPIC I	The Dollar Value of inventories completed with TPIC I, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'I'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50127	Dollar Value, Completed Inventories TPIC J	The Dollar Value of inventories completed with TPIC J, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'J'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50128	Dollar Value, Completed Inventories TPIC K	The Dollar Value of inventories completed with TPIC K, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'K'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50129	Dollar Value, Completed Inventories TPIC L	The Dollar Value of inventories completed with TPIC L, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'L'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50130	Dollar Value, Completed Inventories TPIC M	The Dollar Value of inventories completed with TPIC M, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'M'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50131	Dollar Value, Completed Inventories TPIC N	The Dollar Value of inventories completed with TPIC N, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'N'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50132	Dollar Value, Completed Inventories TPIC P	The Dollar Value of inventories completed with TPIC P, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'P'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50133	Dollar Value, Completed Inventories other or blank TPIC.	The Dollar Value of inventories completed with a TPIC not equal to A, C, D, E, G, H, I, J, K, L, M, N, P, R, S, T, U, V, or Z, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', 'V', and 'Z'</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50134	Dollar Value, Completed Inventories TPIC A	The Dollar Value of inventories completed with TPIC A, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'A'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50135	Dollar Value, Completed Inventories TPIC R	The Dollar Value of inventories completed with TPIC R, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'R'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50136	Dollar Value, Completed Inventories TPIC S	The Dollar Value of inventories completed with TPIC S, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'S'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50137	Dollar Value, Completed Inventories TPIC T	The Dollar Value of inventories completed with TPIC T, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'T'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50138	Dollar Value, Completed Inventories TPIC U	The Dollar Value of inventories completed with TPIC U, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'U'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50139	Dollar Value, Completed Inventories TPIC V	The Dollar Value of inventories completed with TPIC V, excluding reversals.	A dollar value (unit price times quantity inventoried) is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'V'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50140	Summary of Line Items Inventoried.	The number of unique NSN/ Condition Code combinations inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal to 'Z'</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50141	Summary Line Items Inventoried, TPIC C	The number of unique NSN/ Condition Code combinations with TPIC C, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'C'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50142	Summary Line Items Inventoried, TPIC D	The number of unique NSN/ Condition Code combinations with TPIC D, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'D'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50143	Summary Line Items Inventoried, TPIC E	The number of unique NSN/ Condition Code combinations with TPIC E, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'E'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50144	Summary Line Items Inventoried, TPIC G	The number of unique NSN/ Condition Code combinations with TPIC G, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'G'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50145	Summary Line Items Inventoried, TPIC H	The number of unique NSN/ Condition Code combinations with TPIC H, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'H'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50146	Summary Line Items Inventoried, TPIC I	The number of unique NSN/ Condition Code combinations with TPIC I, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'I'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50147	Summary Line Items Inventoried, TPIC J	The number of unique NSN/ Condition Code combinations with TPIC J, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'J'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50148	Summary Line Items Inventoried, TPIC K	The number of unique NSN/ Condition Code combinations with TPIC K, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'K'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50149	Summary Line Items Inventoried, TPIC L	The number of unique NSN/ Condition Code combinations with TPIC L, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'L'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50150	Summary Line Items Inventoried, TPIC M	The number of unique NSN/ Condition Code combinations with TPIC M, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'M'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50151	Summary Line Items Inventoried, TPIC N	The number of unique NSN/ Condition Code combinations with TPIC N, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'N'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50152	Summary Line Items Inventoried, TPIC P	The number of unique NSN/ Condition Code combinations with TPIC P, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'P'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50153	Summary Line Items Inventoried, Other or Blank TPIC	The number of unique NSN/ Condition Code combinations with TPIC not equal to A, C, D, E, G, H, I, J, K, L, M, N, P, R, S, T, U, V, or Z, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', 'V', and 'Z'</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50154	Summary Line Items Inventoried, TPIC A	The number of unique NSN/ Condition Code combinations with TPIC A, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'A'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50155	Summary Line Items Inventoried, TPIC R	The number of unique NSN/ Condition Code combinations with TPIC R, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'R'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50156	Summary Line Items Inventoried, TPIC S	The number of unique NSN/ Condition Code combinations with TPIC S, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'S'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50157	Summary Line Items Inventoried, TPIC T	The number of unique NSN/ Condition Code combinations with TPIC T, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'T'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50158	Summary Line Items Inventoried, TPIC U	The number of unique NSN/ Condition Code combinations with TPIC U, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'U'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50159	Summary Line Items Inventoried, TPIC V	The number of unique NSN/ Condition Code combinations with TPIC V, inventoried during a month, excluding reversals.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal D8A and D9A</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'V'</p> <p style="text-align: center;">AND</p> <p>Exclude Reversals</p> <p>Exclude transactions where Site, NSN, and Condition Code, match a transaction previously processed in the current month (duplicate NSN/Cond Cd).</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50160	Total Inventories Received	The number of Inventory Requests received.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50161	Total Inventories Received, TPIC C	The number of Inventory Requests received with TPIC equal C.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'C'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50162	Total Inventories Received, TPIC D	The number of Inventory Requests received with TPIC equal D.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'D'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50163	Total Inventories Received, TPIC E	The number of Inventory Requests received with TPIC equal E.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'E'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50164	Total Inventories Received, TPIC G	The number of Inventory Requests received with TPIC equal G.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'G'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50165	Total Inventories Received, TPIC H	The number of Inventory Requests received with TPIC equal H.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'H'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50166	Total Inventories Received, TPIC I	The number of Inventory Requests received with TPIC equal I.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'I'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50167	Total Inventories Received, TPIC J	The number of Inventory Requests received with TPIC equal J.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'J'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50168	Total Inventories Received, TPIC K	The number of Inventory Requests received with TPIC equal K.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'K'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50169	Total Inventories Received, TPIC L	The number of Inventory Requests received with TPIC equal L.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'L'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50170	Total Inventories Received, TPIC M	The number of Inventory Requests received with TPIC equal M.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'M'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50171	Total Inventories Received, TPIC N	The number of Inventory Requests received with TPIC equal N.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'N'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50172	Total Inventories Received, TPIC P	The number of Inventory Requests received with TPIC equal P.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'P'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50173	Total Inventories Received Other or Blank TPIC	The number of Inventory Requests received with TPIC not equal to A, C, D, E, F, G, H, I, J, K, L, M, N, P, R, S, T, U, V, or Z.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', 'V', and 'Z'</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50174	Total Inventories Received, TPIC A	The number of Inventory Requests received with TPIC equal A.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'A'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50175	Total Inventories Received, TPIC R	The number of Inventory Requests received with TPIC equal R.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'R'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50176	Total Inventories Received, TPIC S	The number of Inventory Requests received with TPIC equal S.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'S'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50177	Total Inventories Received, TPIC T	The number of Inventory Requests received with TPIC equal T.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'T'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

**DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003**

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50178	Total Inventories Received, TPIC U	The number of Inventory Requests received with TPIC equal U.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'U'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50179	Total Inventories Received, TPIC V	The number of Inventory Requests received with TPIC equal V.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA, ZHA, and ZJA</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'V'</p> <p style="text-align: center;">AND</p> <p>Exclude Type Transaction Code equal to DJA when Management Code is equal to 'N'.</p>			

continued on next page

**MANAGEMENT INFORMATION SYSTEM (MIS)
TECHNICAL MANUAL**

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50180	Total Inventories Cancelled	The number of Inventories Cancelled	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50181	Total Inventories Cancelled, TPIC C	The number of inventories cancelled with TPIC C.	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS			
AND			
TPIC equal 'C'			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50182	Total Inventories Cancelled, TPIC D	The number of inventories cancelled with TPIC D.	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS			
AND			
TPIC equal 'D'			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50183	Total Inventories Cancelled, TPIC E	The number of inventories cancelled with TPIC E	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'E'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50184	Total Inventories Cancelled, TPIC G	The number of inventories cancelled with TPIC G.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'G'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50185	Total Inventories Cancelled, TPIC H	The number of inventories cancelled with TPIC H.	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS AND TPIC equal 'H'			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50186	Total Inventories Cancelled, TPIC I	The number of inventories cancelled with TPIC I.	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS AND TPIC equal 'I'			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50187	Total Inventories Cancelled, TPIC J	The number of inventories cancelled with TPIC J.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'J'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50188	Total Inventories Cancelled, TPIC K	The number of inventories cancelled with TPIC K.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'K'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50189	Total Inventories Cancelled, TPIC L	The number of inventories cancelled with TPIC L.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'L'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50190	Total Inventories Cancelled, TPIC M	The number of inventories cancelled with TPIC M.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'M'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50191	Total Inventories Cancelled, TPIC N	The number of inventories cancelled with TPIC N.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'N'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50192	Total Inventories Cancelled, TPIC P	The number of inventories cancelled with TPIC P.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'P'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50193	Total Inventories Cancelled, Other or Blank TPIC	The number of inventories cancelled with TPIC not equal to A, C, D, E, G, H, I, J, K, L, M, N, P, R, S, T, U, V, or Z.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p style="text-align: center;">AND</p> <p>Exclude TPIC equal 'A', 'C', 'D', 'E', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'P', 'R', 'S', 'T', 'U', 'V', and 'Z'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50194	Total Inventories Cancelled, TPIC A	The number of inventories cancelled with TPIC A.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p style="text-align: center;">AND</p> <p>TPIC equal 'A'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50195	Total Inventories Cancelled, TPIC R	The number of inventories cancelled with TPIC R.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'R'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50196	Total Inventories Cancelled, TPIC S	The number of inventories cancelled with TPIC S.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'S'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC
INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50197	Total Inventories Cancelled, TPIC T	The number of inventories cancelled with TPIC T.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'T'</p>			

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50198	Total Inventories Cancelled, TPIC U	The number of inventories cancelled with TPIC U.	A count is added to this element when a transaction meets the criteria below
<p>Type Transaction Code equal DJA (with Management Code Equal N) and ZAS</p> <p>AND</p> <p>TPIC equal 'U'</p>			

continued on next page

MANAGEMENT INFORMATION SYSTEM (MIS) TECHNICAL MANUAL

DLAM 4745-40 VOL. VI
Revision Date: April 25, 2003

TM-501.DOC

INVENTORY COUNTS

ELEMENT NO.	TITLE	DEFINITION	CALCULATION METHOD
50199	Total Inventories Cancelled, TPIC V	The number of inventories cancelled with TPIC V.	A count is added to this element when a transaction meets the criteria below
Type Transaction Code equal DJA (with Management Code Equal N) and ZAS AND TPIC equal 'V'			